




**NISSAN INTERSTAR**  
E-BROCHURE





The Interstar range is both extensive and practical and is available in two grades to ensure there is a version to suit your needs. As the demands of every business are different, we also offer a range of options for alternative load carrying, extra comfort and more convenience.

## E

### **CARGO AREA ACCESSIBILITY**

- Unglazed 180° opening rear doors
- Unglazed left sliding door
- Side and rear door activated loading lamps
- Floor mounted lashing rings

### **SAFETY AND SECURITY**

- Driver airbag
- 3-point seatbelts (x2)
- Seatbelt pretensioners
- High mounted rear stop light
- 1/3 tubular bulkhead behind driver
- Immobiliser and alarm
- Remote central locking
- Automatic door locking

### **COMFORT AND CONVENIENCE**

- Single CD player with steering wheel controls
- 3-way adjustable driver seat
- Power assisted steering
- Twin passenger seat bench

### **OPTIONS**

- Metallic paint



## SE

### ADDITIONAL TO E

#### FEATURES ON SE GRADE

- Full steel bulkhead
- ABS with Emergency Brake Assist
- Rear Parking Proximity Sensor
- Driver's armrest
- Power windows
- Power and heated mirrors
- Trip computer

#### OPTIONS

- Metallic paint
- Right sliding door unglazed
- Power take off
- Passenger airbag
- 270 rear doors (unglazed) on L2 / L3
- Satellite navigation
- Digital Tachograph
- Air conditioning and front fog lights

#### OPTION PACKS

- Comfort Pack
  - Air conditioning
  - 3 Button key allowing opening / locking of selected doors
  - Intelligent wipers
  - Friendly lighting
  - One-touch power windows
- Glazed Rear Doors Pack
  - Glazed rear doors 180° opening
  - Glazed bulkhead
  - Heated rear window
- Glazing Pack
  - Glazed rear doors 180° opening
  - Driver tubular bulkhead
  - Heated rear window
  - Twin glazed side sliding doors
  - Adjustable single passenger seat

## SE CREW VAN

### ADDITIONAL TO SE VAN

#### FEATURES ON SE GRADE

- 3 Rear seats with integral bulkhead
- Twin glazed side doors (Right hand door with opening window)
- Glazed rear doors

#### OPTIONS

- Metallic paint

## SE 16 SEAT MINIBUS

### ADDITIONAL TO SE VAN

#### FEATURES ON SE GRADE

- Full glazing
- Sliding left hand door with opening window
- 16 Seats including driver seat
- Rear step
- Retractable side step
- Fire extinguishers x2
- Digital Tachograph
- Mandatory Speed limiter - 62mph
- First aid kit
- Bulkhead deleted
- Rear parking proximity sensor

#### OPTIONS

- Air conditioning front and rear
- Additional cabin heating
- Satellite navigation
- Overhead luggage rack in cabin

# Interstar Vans

MODEL		INTERSTAR										
Wheelbase	Short			Medium			Long					
GVW	2.8		3.3	3.3	3.5		3.5					
Roof height	Low			Mid			Mid	High				
Engine	2.5 dCi 100		2.5 dCi 100	2.5 dCi 100	2.5 dCi 100	2.5 dCi 120	2.5 dCi 120	2.5 dCi 120		2.5 dCi 150		
Transmission	Manual		Manual	Manual	Manual	Man	Auto	Manual	Man	Auto	Man	Auto
ENGINE												
No. of Cylinders	4											
Valves per Cylinder	4											
Engine capacity	cm <sup>3</sup>	2464										
Bore x Stroke	mm	89 x 99										
Maximum Engine Power	hp	100	100	100		120		150	120	150		
	rpm	3500										
Maximum Torque	Nm	260	260	260		300		320	300	320		
	rpm	1500										
Compression Ratio	17.8:1											
Emissions Standards	Euro IV											
Fuel Type	Diesel											
Fuel Supply	Direct diesel injection + Common Rail											
Battery	V/Ah	12V/95 Ah										
Alternator	A	150										
DRIVE TRAIN												
Number of speeds	6											
Gear Ratio	1st	6.89	6.76	6.76	6.89							
	2nd	12.88	12.64	12.64	12.88							
	3rd	20.76	20.37	20.37	20.76							
	4th	29.52	28.97	28.97	29.52							
	5th	38.09	37.36	37.36	38.09							
	6th	45.12	44.27	44.27	45.12		48.34	45.12	48.34			
Driven wheels	FWD											
CHASSIS												
Suspension	Front	Independent double wishbone with coil spring, and stabilizer bar										
	Rear	Variable rate leaf springs with telescopic dampers										
Braking system	Front: Ventilated discs    Rear: Discs (Diameter 305mm)											
Wheel Size			6J16	16 x 6J								
Tyre Size	195/65R16		215/65R16	215/65R16	225/65R16	225/65R16						
PERFORMANCE												
Maximum Speed	km/h	140	147	140	138		144		140	147	144	140
	mph	87	91	87	86		89		87	91	89	87
Min. Turning Circle (Wall to Wall)	m	12.48			14.11			15.68				
Min. Turning Circle (Kerb to Kerb)	m	12.07			13.75			15.20				

MODEL		INTERSTAR										
Wheelbase	Short			Medium			Long					
GVW	2.8	3.3	3.3	3.5		3.5						
Roof height	Low			Mid			Mid		High			
Engine	2.5 dCi 100	2.5 dCi 100	2.5 dCi 100	2.5 dCi 100	2.5 dCi 120	2.5 dCi 120		2.5 dCi 120	2.5 dCi 150			
Transmission	Manual	Manual	Manual	Manual	Man	Auto	Manual		Man	Auto	Man	Auto
WEIGHTS												
Gross Vehicle Weight	Kg	2800	3300	3300	3500							
Kerb weight	Kg	1815	1818	1887	1894	1902	1937		1964	1972	1979	1986
Maximum Payload	Kg	985	1482	1413	1606	1598	1563		1536	1528	1521	1514
Gross Axle Weight	Kg	1550	1750	1750	1850							
	Kg	1600	1900	1900	2060							
Max. Trailer Cap.	Braked	Kg	2000									
	Unbraked	Kg	750									
OVERALL DIMENSIONS												
Length	mm	4899		5399			5899					
Width with mirrors	mm	2361										
Width without mirrors	mm	1990										
Height (unladen)	mm	2232	2232	2486		2484		2716				
Wheelbase	mm	3078	3078	3578			4078					
Overhang	Front	mm	862									
	Rear	mm	959									
Track	Front	mm	1740									
	Rear	mm	1725									
Ground Clearance (unladen)	mm	150										
CARGO AREA DIMENSIONS												
Maximum Length	mm	2714		3214			3714					
Maximum Width	mm	1764										
Maximum Height	mm	1670		1912				2146				
Minimum Width between the Wheelarches	mm	1282										
Max. Load platform height	mm	543		540		537		536				
Cargo Volume	m <sup>3</sup>	8.0		10.8			12.6		13.9			
Side Door	Width	mm	1099									
	Height	mm	1555	1800								
Back Door	Width	mm	1515									
	Height	mm	1632	1874								
FUEL TANK												
Fuel tank capacity	L	100										

# Interstar Passenger Vehicles

MODEL		INTERSTAR CREW VAN		INTERSTAR 16 SEAT MINIBUS	
Wheelbase		Medium	Long	Long	
GVW		3.3	3.5	3.9	
Roof height		Mid	Mid	Mid	Mid
Engine		2.5dCi 100	2.5dCi 120	2.5dCi 120	2.5dCi 120
Transmission		Manual	Manual	Manual	Semi Auto
ENGINE					
No. of Cylinders		4		4	
Valves per Cylinder		4		4	
Engine Capacity	cm <sup>3</sup>	2464		2464	
Bore x Stroke	mm	89x99		89x99	
Maximum Engine Power	hp	100	120	120	
	rpm	3500		3500	
Maximum Torque	Nm	260		300	
	rpm	1500		1500	
Compression Ratio		17.8:1		17.8:1	
Emmissions Standards		Euro IV		Euro IV	
Fuel Type		Diesel		Diesel	
Fuel Supply		Direct diesel injection + common rail		Direct diesel injection + common rail	
Battery	V/ah	12V/95 Ah		12V/95 Ah	
Alternator	A	150		150	
DRIVE TRAIN					
Number of Speeds		6		6	
Gear ratio	1st	6.76	6.89	6.89	6.89
	2nd	12.64	12.88	12.88	12.88
	3rd	20.37	20.76	20.76	20.76
	4th	28.97	29.52	29.52	29.52
	5th	37.36	38.09	38.09	38.09
	6th	44.27	45.12	45.12	45.12
Driven wheels		FWD		FWD	
CHASSIS					
Suspension	Front	Independent double wishbone with coil spring and stabilizer bar		Independent double wishbone with coil spring and stabilizer bar	
	Rear	Variable rate leaf springs with telescopic dampers		Variable rate leaf springs with telescopic dampers	
Braking system		Front:Ventilated Discs - Diameter: 305 mm Rear: Discs - Diameter: 305 mm		Front:Ventilated Discs - Diameter: 305 mm Rear: Discs - Diameter: 305 mm	
Wheel size		6 J16		6 J16	
Tyre size		215/65R16		225/65R16	225/65R16

MODEL		INTERSTAR CREW VAN		INTERSTAR 16 SEAT MINIBUS	
Wheelbase		Medium	Long	Long	
GVW		3.5	3.5	3.9	
Roof height		Mid	Mid	Mid	Mid
Engine		2.5dCi 100	2.5dCi 120	2.5dCi 120	2.5dCi 120
Transmission		Manual	Manual	Manual	Semi Auto
PERFORMANCE					
Maximum Speed		km/h	138	144	144
		mph	86	89	89
Min. Turning Circle (Wall to Wall)		m	14.11	15.68	15.68
Min. Turning Circle (Kerb to Kerb)		m	13.75	15.20	15.20
WEIGHTS					
Gross Vehicle Weight		kg	3500	3500	3900
Kerb Weight		kg	2009	2052	2383   2390
Maximum Payload		kg	1491	1448	1500
Gross Axle	Front	kg	1750	1850	1850
	Rear	kg	1900	2060	2060
Max. Trailer Cap.		kg	2000		-
		kg	750		-
OVERALL DIMENSIONS					
Length		mm	5399	5899	5899
Width with mirrors		mm	2361		2361
Width without mirrors		mm	1990		1990
Height (unladen)		mm	2486		2456
Wheelbase		mm	3578	4078	4078
Overhang	Front	mm	862		862
	Rear	mm	959		959
	TrackFront	mm	1740		1740
	Rear	mm	1725		1725
Ground Clearance (unladen)		mm	150		150
CARGO AREA DIMENSIONS					
Maximum Length		mm	2160 (2730)*	2660 (3230)*	788
Maximum Width		mm	1764		-
Maximum Height		mm	1912		1912
Minimum Width between the Wheelarches		mm	1282		1294
Max. Load platform height		mm	540		503
Cargo Volume		m <sup>3</sup>	6.5	8.9	0.5
Side door	Width	mm	1099		1099
	Height	mm	1800		1806
Back door	Width	mm	1515		1423
	Height	mm	1874		1873
FUEL TANK					
Fuel tank capacity		L	100		100

\* Including aperture under rear seat.

INTERSTAR VAN PRICE LIST



Wheelbase	Roof	Engine	Power	GVW (kg)	Grade	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
Short	Low	2.5 dCi	100HP	2,800	E	985	6 manual	18,095	255	18,350
	Low	2.5 dCi	100HP	2,800	SE	985	6 manual	19,150	255	19,405
	Low	2.5 dCi	100HP	3,300	SE	1,482	6 manual	19,500	255	19,755
	Low	2.5 dCi	100HP	3,300	SE <small>SPECIAL OPTION PACK</small>	1,482	6 manual	19,975	255	20,230
Medium	Mid	2.5 dCi	100HP	3,300	SE	1,413	6 manual	21,095	255	21,350
	Mid	2.5 dCi	100HP	3,500	SE	1,606	6 manual	21,950	255	22,205
	Mid	2.5 dCi	100HP	3,500	SE <small>SPECIAL OPTION PACK</small>	1,606	6 manual	22,425	255	22,680
	Mid	2.5 dCi	120HP	3,500	SE	1,606	6 manual	22,950	255	23,205
	Mid	2.5 dCi	120HP	3,500	SE <small>SPECIAL OPTION PACK</small>	1,606	6 manual	23,425	255	23,680
	Mid	2.5 dCi	120HP	3,500	SE	1,598	6 Semi-auto#	23,750	255	24,005
Long	Mid	2.5 dCi	120HP	3,500	SE	1,563	6 manual	24,250	255	24,505
	Mid	2.5 dCi	120HP	3,500	SE <small>SPECIAL OPTION PACK</small>	1,563	6 manual	24,725	255	24,980
	High	2.5 dCi	120HP	3,500	SE	1,536	6 manual	24,950	255	25,205
	High	2.5 dCi	120HP	3,500	SE	1,528	6 Semi-auto#	25,750	255	26,005
	High	2.5 dCi	150HP	3,500	SE	1,521	6 manual	26,250	255	26,505
	High	2.5 dCi	150HP	3,500	SE	1,514	6 Semi-auto#	27,050	255	27,305

## INTERSTAR CREW VAN PRICE LIST

Wheelbase	Roof	Engine	Power	GVW (kg)	Grade	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
Medium	Mid	2.5 dCi	100HP	3,500	SE	1,491	6 manual	24,550	255	24,805
Long	Mid	2.5 dCi	120HP	3,500	SE	1,448	6 manual	26,850	255	27,105

The Basic Delivered price excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£200) and Government First Registration Fee of £55.

\*NB: All Semi-auto versions are by special order only.

\*Special build vehicles that may be subject to extended delivery.

SPECIAL OPTION PACK Air conditioning, Front fog lamps and Cruise control for £475 (normal option price £950)

## INTERSTAR OPTIONS

	E	SE	Crew Van	Basic Price
Metallic paint	○	○	○	350
Right Sliding Door Unglazed		○		300
Power Take-Off (not compatible with air con or semi-auto transmission)		○		120
Passenger airbag		○		230
Cruise Control		○		250
Speed limiter @ 62 mph		○		50
Speed limiter @ 68 mph		○	○	50
270° rear doors unglazed on L2 / L3		○		225
Electronic Stability Programme (ESP) - not compatible with semi-auto transmission		○	○	400
Satellite navigation		○		1,250
Digital Tachograph		○		500
Air Conditioning and Front fog lights		○		700
Front fog lamps	□	□	□	347.97
Single roof bar	□	□	□	153.01
Microline - obscured glazing kit	□	□	□	55.42
<b>OPTION PACKS</b>				
Comfort Pack		○		800
- Air conditioning				
- 3 button key allowing locking / unlocking of selected doors				
- Intelligent wipers				
- Friendly lighting				
- One-touch power windows				
Glazed Rear Doors Pack		○		200
- Glazed rear doors 180° opening				
- Glazed bulkhead				
- Heated rear window				
Glazing Pack		○		500
- Glazed rear doors 180° opening				
- Driver tubular bulkhead				
- Heated rear window				
- Twin glazed side sliding doors				
- Adjustable single passenger seat				

For latest information on options that can be combined together, please contact your local dealer.

Optional - ○ Optional Dealer Fit - □

Basic Price excludes VAT.

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices.

## INTERSTAR 16 SEAT MINIBUS PRICE LIST

Wheelbase	Roof	Engine	Power	GVW (kg)	Grade	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
Long	Mid	2.5 dCi	120HP	3,900	SE	1,500	6 manual	27,895	220	28,115
	Mid	2.5 dCi	120HP	3,900	SE	1,500	6 Semi-auto	28,695	220	28,915

The Basic Delivered price excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£165) and Government First Registration Fee of £55.

## INTERSTAR 16 SEAT MINIBUS OPTIONS

	SE	Basic Price
Metallic paint	○	350
Air conditioning front & rear	○	2,250
Additional heating - front & rear	○	1,500
Satellite Navigation	○	1,250

Basic Price excludes VAT.  
 Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices.

Optional - ○ Optional Dealer Fit - □



Cabstar



Primastar



Kubistar

**SHIFT\_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT\_ is the way we express who we are, how we work and what we are trying to accomplish.**

**Everything we touch, we SHIFT\_ And everything we SHIFT\_ we try to make better and uniquely Nissan.**

Visit our websites at:

[www.nissan.co.uk](http://www.nissan.co.uk)

[www.nissan-lcv.co.uk](http://www.nissan-lcv.co.uk)

Dealer stamp:



**SHIFT\_**business

We take all our environmental responsibilities very seriously - innovation comes today with a deep respect for the environment. Our engines are now much more unobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind and are on target to reach 95% recyclability. This brochure is for general guidance only and its contents do not in any way constitute an offer or representation from Nissan. Every effort has been made to ensure that the content of this publication is correct at the time of going to print. This brochure has been produced featuring prototype vehicles exhibited at motor shows. In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specifications and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written consent of Nissan Europe is forbidden. Benefits and services are provided by RAC Motoring Services and/or RAC Insurance Limited. RAC Motoring Services (Company No. 01424399, Head Office: 8 Surrey Street, Norwich, NR1 3NG) in respect of insurance mediation activities only and RAC Insurance Limited (Company No. 2355834, Head Office: 8 Surrey Street, Norwich, NR1 3NG) are authorised and regulated by the Financial Services Authority within the jurisdiction of the Financial Ombudsman Service and the Financial Services Compensation Scheme. Calls may be monitored and/or recorded.